



AURA

RAINFOREST 844

SPC FLOORING

AURA



AMAZON 801

LVT FLOORING

AURA

TONGASS 808

LVT FLOORING

AURA



AURA SPC - AMAZON 801



AURA SPC - ACADIA 805



AURA SPC - TONGASS 808



AURA SPC - MONTAVE 823



AURA SPC - RAINFOREST 844



AURA SPC - DAINTREE 849

AURA



MONTAVE 823

LVT FLOORING

AURA



AURA

SPECIFICATIONS

Product Name	:	AURA
Overall Thickness	:	5mm
IXPE	:	1mm
Wear Layer Thickness	:	0.5mm
Plank Size	:	181mm x 1220mm
Finish	:	PUR Surface Treatment
Emboss	:	Deep Emboss
Packing	:	10 PCS (2.2M ²) Per Box

TEST ITEM	TEST METHODS	RESULT
Dimensional Stability	ISO 23999	Pass
Residual Indentation	ASTM F1914	Pass
Scratch Resistance	EN 438-2	Pass
Thickness With IXPE	ASTM F386	Pass
Wear Layer Thickness	ASTM F386	Pass
Large Ball Impact	EN 13329	Pass
Density of SPC Product	ASTM D792	Pass
Castor Chair	ISO 4918	Pass

ACADIA 805

