

TAIGA LVT PRO



LVT FLOORING

TAIGA LVT PRO




TAIGA LVT PRO - 006



TAIGA LVT PRO - 407




TAIGA LVT PRO - 806



TAIGA LVT PRO - 839

LVT FLOORING

TAIGA LVT PRO



TAIGA LVT PRO - 001



TAIGA LVT PRO - 215



LVT FLOORING

TAIGA LVT PRO

PRODUCT INFORMATION

Product Name	:	TAIGA LVT PRO
Overall Thickness	:	5.0 MM
Wear Layer Thickness :		0.5 MM 180 mm X 1221 mm
Plank Size	:	465 mm X 935 mm
Tile Size	:	PUR Surface Treatment
Finish	:	Deep Emboss / Travertine Emboss
Emboss	:	Click
Installation Methods	:	Plank - 10 Pcs (2.2 M2 / Box)
Packing	:	Tile - 5 Pcs (2.17 M2 / Box)

TEST ITEM	TEST METHODS	RESULTS
Fungi Test	ASTM G 21-15	Grade 0
Antibacterial Rate	HG/T3950-2007	97.6 %
Abrasion Resistance	EN13329-2016+A1	7000 Cycles
Heavy Metal Content	EN71-3:2013+A2:2017	Pass
Color Fastness to Light	ISO 105-B02:2014	Grade 6
Residual Indentation	ISO 24343-1:2012	0 MM
Caster Chair Resistance	EN 425:2002	Pass
Dimensional Stability	ISO 24343-1:2012	<0.1%
Curling	ISO 23999-2012	-0.08 MM
Reaction to Fire	EN 13501-1	Bfl-s1
Slip Resistance	EN 13893	Class DS



LVT FLOORING